

NOW INCL.
DREAM



PRODUCT OVERVIEW

HEARING AID PERFORMANCE / FEATURE OVERVIEW

January 2013


MODEL DETAILS & FITTING RANGE

ITE MODELS

IIC



IIC/IIC-TR



PRODUCT SERIES

mind440/330/220, MENU10/5/3

WIRELESS CONNECTIVITY

N.A.

CONNECTIVITY

N.A.

BATTERY SIZE

10


USER CONTROLS

N.A.

CIC/CIC-TR



CIC/CIC-TR



PRODUCT SERIES

DREAM440/330/220/110, CLEAR440/330/220, mind440/330/220, MENU10/5/3, Flash, REAL

WIRELESS CONNECTIVITY

WidexLink in DREAM440/330/220/110 and CLEAR440/330/220

CONNECTIVITY

T-coil via M-DEX in DREAM440/330/220/110 and CLEAR440/330/220

BATTERY SIZE

10


USER CONTROLS

Optional RC (not in Flash, REAL)

X/XP*



X/XP*



*The Flash series includes both an X and an XP model.

PRODUCT SERIES

DREAM440/330/220/110, CLEAR440/330/220, mind440/330/220, MENU10/5/3, Flash, REAL

WIRELESS CONNECTIVITY

WidexLink in DREAM440/330/220/110 and CLEAR440/330/220

CONNECTIVITY

Optional T-coil, SCOLA BUDDY

BATTERY SIZE

312

USER CONTROLS


Program button and optional VC (not in DREAM440/330/220/110 and CLEAR440/330/220), optional RC (not in Flash, REAL)

RIC/RITE MODELS


PA



S-RECEIVER



M-RECEIVER



PRODUCT SERIES

DREAM440/330/220/110, CLEAR440/330/220, PA-440 (only S-receiver), PA-115/110/105 (only S-receiver)

WIRELESS CONNECTIVITY

WidexLink in DREAM440/330/220/110 and CLEAR440/330/220

CONNECTIVITY

T-coil via M-DEX in DREAM440/330/220/110 and CLEAR440/330/220

BATTERY SIZE

10

USER CONTROLS

Optional RC (not in PA-105), LED (in DREAM and CLEAR)

EARPIECE

Instant, custom


RIC/RITE MODELS

FS




S-RECEIVER

Suggested fitting range




M-RECEIVER

Suggested fitting range




P-RECEIVER

Suggested fitting range



HP-RECEIVER

Suggested fitting range



PRODUCT SERIES

DREAM440/330/220/110, CLEAR440/330/220

WIRELESS CONNECTIVITY

WidexLink in DREAM440/330/220/110 and CLEAR440/330/220

CONNECTIVITY

T-coil, SCOLA BUDDY

BATTERY SIZE

312

USER CONTROLS

Optional RC, program button, LED

EARPIECE


Instant, custom

VS/VSD




P-RECEIVER

Suggested fitting range



SP-RECEIVER

Suggested fitting range



PRODUCT SERIES

SUPER440/220

WIRELESS CONNECTIVITY

WidexLink in SUPER440/220

CONNECTIVITY

T-coil, SCOLA BUDDY, SCOLA FLEX-i (in VSD only), Universal DAI adaptor (in VSD only)

BATTERY SIZE

675

USER CONTROLS

Optional RC, VC, program button, LED


EARPIECE

Instant, custom

PAEDIATRIC



Suggested fitting range



PRODUCT SERIES

BABY440

WIRELESS CONNECTIVITY

N.A.

CONNECTIVITY

N.A.

BATTERY SIZE

10


USER CONTROLS

Optional RC/LED

EARPIECE

Instant, custom


BTE MODELS
m/m-CB*



* ClearBand only in DREAM440/330/220/110, CLEAR440/330/220 and mind440/330


PRODUCT SERIES	DREAM440/330/220/110, (only m CB) CLEAR440/330/220, mind440/330/220, MENU10/5/3, Flash, REAL
WIRELESS CONNECTIVITY	WidexLink in DREAM440/330/220/110 and CLEAR440/330/220
CONNECTIVITY	T-coil via M-DEX in DREAM440/330/220/110 and CLEAR440/330/220
BATTERY SIZE	10
USER CONTROLS	Optional RC (not Flash and REAL), optional program button (not in DREAM440/330/220/110 and CLEAR440/330/220), LED (in DREAM and CLEAR)
EARPIECE	Instant, custom

9



PRODUCT SERIES	DREAM440/330/220/110, CLEAR440/330/220, mind440/330/220, MENU10/5/3, Flash, REAL
WIRELESS CONNECTIVITY	WidexLink in DREAM440/330/220/110 and CLEAR440/330/220
CONNECTIVITY	DAI, T-coil, SCOLA BUDDY, SCOLA FLEX
BATTERY SIZE	13
USER CONTROLS	Optional VC, program button, optional RC (not in Flash and REAL)
EARPIECE	Instant, custom

19



PRODUCT SERIES	mind440/330/220, MENU10/5/3, Flash, REAL
WIRELESS CONNECTIVITY	N.A.
CONNECTIVITY	DAI, T-coil, SCOLA BUDDY, SCOLA FLEX
BATTERY SIZE	13
USER CONTROLS	Optional VC, program button, optional RC (not in Flash and REAL), LED in mind440
EARPIECE	Custom

PLATFORM	DREAM440	SUPER440	CLEAR440	mind440/PA-440	PA-115	DREAM330	CLEAR330	mind330	PA-110	DREAM220	SUPER220	CLEAR220	mind220	Flash/PA-105	DREAM110	MENU10	MENU5	MENU3	REAL	BABY440
TRUE ISP	•					•				•					•					
C-ISP		•	•				•				•	•								
Dual ISP				•				•					•							•
Flex																•	•	•		
ISP					•				•					•					•	
CONNECTIVITY																				
Wireless connectivity WidexLink	•	•	•			•	•			•	•	•			•					
InterEar (IE)	•	•	•			•	•			•	•	•			•					
DEX accessories	•	•	•			•	•			•	•	•			•					
CHANNELS																				
	15	15	15	15	15	10	10	10	10	5	5	5	5	5	3	10	5	3	3	15
AUDIBILITY/LISTENING IN QUIET																				
IE TruSound Compression	•	•	•																	
TruSound Compression				•		•	•	•		•	•	•								•
EDRC	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•
High level compression (WDRC/EDRC available)																•	•	•		
Digital Pinna	•	•	•			•	•													
TruSound AOC	•	•	•	•		•	•	•		•	•	•								•
TruSound Stabilisers	•	•	•	•		•	•	•		•	•	•								•
Automatic Output Control	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Sound Stabiliser					•				•				•	•	•	•	•	•	•	
Hammer Detector	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•
TruSound Softener	•	•	•			•	•													
LISTENING IN NOISE																				
True-Input technology	•					•				•					•					
High Definition Locator (multidirectional)	•	•	•	•	•	•	•	•	•	•	•	•	•			**	**	**		•
Locator (broadband)														•	•				•	
FreeFocus (via M-DEX)	•	•	•			•	•			•	•	•			•					
Reverse focus program	•					•				•										
IE Speech Enhancer SII	•	•	•																	
Speech Enhancer SII				•	•	•	•									**	**	**		•
Noise reduction SIS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Noise reduction																			•	
Wind noise control	• (FS)	•	• (FS)			• (FS)	• (FS)			• (FS)	•	• (FS)			• (FS)					
Nano-coated WeatherCover	• (FS)	•	• (FS)			• (FS)	• (FS)			• (FS)	•	• (FS)			• (FS)					

** Optional

	<i>DREAM440</i>	<i>SUPER440</i>	<i>CLEAR440</i>	<i>mind440/PA-440</i>	<i>PA-115</i>	<i>DREAM330</i>	<i>CLEAR330</i>	<i>mind330</i>	<i>PA-110</i>	<i>DREAM220</i>	<i>SUPER220</i>	<i>CLEAR220</i>	<i>mind220</i>	<i>Flash/PA-105</i>	<i>DREAM110</i>	<i>MENU10</i>	<i>MENU5</i>	<i>MENU3</i>	<i>REAL</i>	<i>BABY440</i>
ENHANCED USER COMFORT																				
Multidirectional Active Feedback Cancelling	IE	IE	IE	•	•	IE	IE	•	•	IE	IE	IE	•	•	IE	•	•	•		•
AISA	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•		
EXTENDED AUDIBILITY																				
Personal Audibility Extender	•					•				•					•					
Audibility Extender		•	•	•	•		•	•			•	•	•			**	**	**		•
ClearBand (<i>m</i> -model)	•		•	•		•	•	•		•		•			•					•
100 Hz - 10.5 kHz*				•				•												•
70+ Hz - 11.0 kHz*	•		•			•	•			•		•			•					
USER CONTROLS																				
IE Partner Alarm	•	•	•				•													
IE volume control	•	•	•			•	•			•	•	•			•					
IE program shift	•	•	•			•	•			•	•	•			•					
Listening programs	5	5	5	5	5	4	4	4	2 T/MT	3	3	3	3	*** 2 T/MT	2	**** 2	**** 2	**** 2	2 T/MT	3
Phone+	•	•	•			•	•				•									
Personal Zen	IE																			
Zen	IE	IE	IE	•		IE	IE	**		IE	**	**	**		•	**	**	**		
Zen+	IE	•	•	•		IE	•	**		IE	**	**	**		•					
Zen timer	•	•	•			•	•			•	**	**			•					
SmartSpeak	•	•	•	•		•	•	•		•	•	•	•		•	**	**	**		
SmartTone	•	•	•	•		•	•	•		•	•	•	•		•	•	•	•		
Acoustic beeps					•				•					•					•	

* Frequency range is model dependent / ** Optional / *** In Flash / **** Extra programs optional

	<i>DREAM440</i>					<i>DREAM330</i>					<i>DREAM220</i>					<i>DREAM110</i>					<i>BABY440</i>
		<i>SUPER440</i>	<i>CLEAR440</i>	<i>mind440/PA-440</i>	<i>PA-115</i>		<i>CLEAR330</i>	<i>mind330</i>	<i>PA-110</i>			<i>SUPER220</i>	<i>CLEAR220</i>	<i>mind220</i>	<i>Flash/PA-105</i>		<i>MENU10</i>	<i>MENU5</i>	<i>MENU3</i>	<i>REAL</i>	
FITTING AND FINE TUNING																					
Basic Sensogram	•	• 250Hz	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Expanded Sensogram	• (14)	•	•	•	•	• (14)	•	•	• 250Hz	• (14)	•	•	•	•		• (14)	•	•	•	•	•
In-situ vent effect	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	
In-situ RECD (<i>m</i> , 9 & BB model)			•	•			•	•					•								•
SoundTracker	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					•
Display of NAL targets	•					•				•						•					
Compression threshold - handle	***** •					***** •				***** •						***** •					
Personal Acclimatisation	•					•				•						•					
Occlusion manager			•	•	•		•	•	•				•	•	•		•	•	•	•	•
Sound Diary/Datalogging	***** •	•	•	•	•	***** •	•	•	•	***** •	•	•	•	•	•	***** •	**	**	**	**	
Event log		•	•	•	•		•	•	•		•	•	•	•			•	•	•	•	•
FITTING SOFTWARE																					
COMPASS GPS	•					•				•						•					
COMPASS ver. 5		•	•	•	•		•	•	•		•	•	•	•			•	•	•	•	•
PROGRAMMING																					
NOAHlink				•	•			•	•					•	•		•	•	•	•	•
nEARcom with NOAHlink	•	•	•			•	•			•	•	•				•					
USB Link	•	•	•			•	•			•	•	•				•					
iP5				•	•			•	•					•	•		•	•	•		
HI-PRO				•	•			•	•					•	•		•	•	•		•

** Optional / ***** available from COMPASS GPS ver. 1.1

COLOURS AND MODELS

		DREAM440	SUPER440	CLEAR440	mind440/ PA-440	PA-115	DREAM330	CLEAR330	mind330	PA-110	
PRODUCT SERIES											
BTE MODELS		Warm beige (021)	FS/PA/m/9	VS/VSD	FS/PA/m/9	PA/m/9/19	-	FS/PA/m/9	FS/PA/m/9	m/9/19	-
		Tan silk (081)	FS/PA/m/9	VS/VSD	FS/PA/m/9	PA/m/9	-	FS/PA/m/9	FS/PA/m/9	m/9	-
		Cappuccino brown (071)	FS/PA/m/9	VS/VSD	FS/PA/m/9	PA/m/9	PA	FS/PA/m/9	FS/PA/m/9	m/9	PA
		Midnight black (074)	FS/PA/m/9	VS/VSD	FS/PA/m/9	PA	PA	FS/PA/m/9	FS/PA/m/9	-	PA
		Titan grey (073)	FS/PA/m/9	VS/VSD	FS/PA/m/9	PA/m/9	PA	FS/PA/m/9	FS/PA/m/9	m/9	PA
		Winter silver (072)	FS/PA/m/9	VS/VSD	FS/PA/m/9	PA/m/9/19	PA	FS/PA/m/9	FS/PA/m/9	m/9/19	PA
		Winter silver (572) (Lower housing Black)	-	VS	-	-	-	-	-	-	-
		Jet black (030)	-	-	-	m/9	-	-	-	m/9	-
		Burnt orange (082)	-	-	-	m	-	-	-	-	-
		Cappuccino gradient (083)	-	-	-	m	-	-	-	-	-
		Black gradient (087)	-	-	-	m	-	-	-	-	-
		Charcoal grey (035)	-	-	-	19	-	-	-	19	-
		Brown (022)	-	-	-	-	-	-	-	-	-
		Warm grey (024)	-	-	-	-	-	-	-	-	-
		Transparent smoke (011)	-	-	-	-	-	-	-	-	-
		Summer gold (069)	FS/PA	-	FS/PA	PA	PA	FS/PA	FS/PA	-	PA
		Copper brown (070)	FS/PA	-	FS/PA	PA	PA	FS/PA	FS/PA	-	PA
		Pearl white (068)	FS/PA	-	FS/PA	PA	PA	FS/PA	FS/PA	-	PA
		Pearl pink (084)	-	-	-	-	-	-	-	-	-
		Pearl blue (085)	-	-	-	-	-	-	-	-	-
		Metallic blue (090)	FS/PA	-	FS/PA	PA	-	FS/PA	FS/PA	-	-
		Shocking pink (077)	FS/PA	-	FS/PA	PA	PA	FS/PA	FS/PA	-	PA
		Lime green (075)	FS/PA	-	FS/PA	PA	PA	FS/PA	FS/PA	-	PA
		Sporty red (076)	FS/PA	-	FS/PA	PA	PA	FS/PA	FS/PA	-	PA
		Mediterranean turquoise (078)	FS/PA	-	FS/PA	PA	PA	FS/PA	FS/PA	-	PA
ITE MODELS		Light beige (025)	CIC/XP	-	CIC/XP	IIC/CIC/X	-	CIC/XP	CIC/XP	IIC/CIC/X	-
		Dark brown (027)	CIC/XP	-	CIC/XP	IIC/CIC/X	-	CIC/XP	CIC/XP	IIC/CIC/X	-
		Clay brown (028)	CIC/XP	-	CIC/XP	IIC/CIC/X	-	CIC/XP	CIC/XP	IIC/CIC/X	-

		DREAM220	SUPER220	CLEAR220	mind220	Flash/PA-105	DREAM110	MENU10	MENU5	MENU3	REAL	BABY440	
PRODUCT SERIES													
BTE MODELS		Warm beige (021)	FS/PA/m/9	VS/VSD	FS/PA/m/9	m/9/19	m/9/19	FS/PA/m/9	m/9/19	m/9/19	m/9/19	m/9/19	-
		Tan silk (081)	FS/PA/m/9	VS/VSD	FS/PA/m/9	m/9	-	FS/PA/m/9	m/9	m/9	m/9	-	-
		Cappuccino brown (071)	FS/PA/m/9	VS/VSD	FS/PA/m/9	m/9	PA	FS/PA/m/9	m/9	m/9	m/9	-	-
		Midnight black (074)	FS/PA/m/9	VS/VSD	FS/PA/m/9	-	PA	FS/PA/m/9				-	-
		Titan grey (073)	FS/PA/m/9	VS/VSD	FS/PA/m/9	m/9	PA	FS/PA/m/9	m/9	m/9	m/9	-	-
		Winter silver (072)	FS/PA/m/9	VS/VSD	FS/PA/m/9	m/9/19	PA/m/19	FS/PA/m/9	m/9/19	m/9/19	m/9/19	-	-
		Winter silver (572) (Lower housing Black)	-	VS	-		-	-				-	-
		Jet black (030)	-	-	-	m/9	m	-	m/9	m/9	m/9	-	-
		Burnt orange (082)	-	-	-	-	-	-				-	-
		Cappuccino gradient (083)	-	-	-	-	-	-				-	-
		Black gradient (087)	-	-	-	-	-	-				-	-
		Charcoal grey (035)	-	-	-	19	-	-	19	19	19	m/9/19	-
		Brown (022)	-	-	-	-	9/19	-				-	-
		Warm grey (024)	-	-	-	-	9/19	-				-	-
		Transparent smoke (011)	-	-	-	-	9/19	-				-	-
		Summer gold (069)	FS/PA	-	FS/PA	-	PA/m/19	FS/PA				-	-
		Copper brown (070)	FS/PA	-	FS/PA	-	PA/m	FS/PA				-	-
		Pearl white (068)	FS/PA	-	FS/PA	-	PA/m	FS/PA				-	BB
		Pearl pink (084)	-	-	-	-	-	-				-	BB
		Pearl blue (085)	-	-	-	-	-	-				-	BB
		Metallic blue (090)	FS/PA	-	FS/PA	-	-	FS/PA				-	-
		Shocking pink (077)	FS/PA	-	FS/PA	-	PA	FS/PA				-	-
		Lime green (075)	FS/PA	-	FS/PA	-	PA	FS/PA				-	-
		Sporty red (076)	FS/PA	-	FS/PA	-	PA	FS/PA				-	-
		Mediterranean turquoise (078)	FS/PA	-	FS/PA	-	PA	FS/PA				-	-
ITE MODELS		Light beige (025)	CIC/XP	-	CIC/XP	IIC/CIC/X	CIC/X/XP	CIC/XP	IIC/CIC/X	IIC/CIC/X	IIC/CIC/X	CIC/X	-
		Dark brown (027)	CIC/XP	-	CIC/XP	IIC/CIC/X	CIC/X/XP	CIC/XP	IIC/CIC/X	IIC/CIC/X	IIC/CIC/X	CIC/X	-
		Clay brown (028)	CIC/XP	-	CIC/XP	IIC/CIC/X	CIC/X/XP	CIC/XP	IIC/CIC/X	IIC/CIC/X	IIC/CIC/X	CIC/X	-

RC-DEX



COMPATIBLE WITH
DREAM440/330/220/110, CLEAR440/330/220, SUPER440/220

- Hearing aid remote control with LED (range 1 m)
- Volume up/down
- Program toggle
- Approx. 12 months of battery life
- Key ring attachment
- Leather case
- Also available in black

TV-DEX



COMPATIBLE WITH
DREAM440/330/220/110, CLEAR440/330/220, SUPER440/220

- Wireless device purpose-built for listening to TV and audio
- Range up to 10 m between Base and Controller
- Up to 10 hrs of uninterrupted TV and stereo sound
 - EchoFree audio quality
- Rechargeable in the TV-Base
- Volume up/down
- 'Room Off'
- Transmission on/off

M-DEX



COMPATIBLE WITH
DREAM440/330/220/110, CLEAR440/330/220, SUPER440/220

- Wireless device for mobile phone and personal audio devices via Bluetooth
- Advanced remote control with colour display
- On/off
- Accept/end call
- Navigation keys
- 'Room Off'
- FreeFocus
- Integrated telecoil

FM+DEX



COMPATIBLE WITH

DREAM440/330/220/110, CLEAR440/330/220, SUPER440/220

- Wireless device for FM, loop systems and listening to audio
- Antenna range: Up to 30 m
- Mono/stereo - mono
- Audio bandwidth: up to 11.2 kHz
- Battery capacity: 10 hours

PHONE-DEX*



COMPATIBLE WITH

DREAM440/330/220/110, CLEAR440/330/220, SUPER440/220

- Cordless phone for easy landline use
- Text display
- Talk/end call and redial button
- Phone book
- 10 hours call time
- 100 hours standby time

*Available in Europe

T-DEX*



COMPATIBLE WITH

ALL WIDEX HEARING AIDS WITH TELECOIL

- Sound from the mobile phone is streamed via the T-DEX neck loop to all Widex hearing aids with a Telecoil
- Range to mobile phone up to 10 m
- Battery life in use approximately 14 hours
- Standby approximately 24 hours
- Volume up/down
- Indicator for volume, battery and Bluetooth
- Microphone

* Available in Europe and US/CA/NZ/AUS

REMOTE CONTROLS

	RC3-1 BASIC	RC3-2 FULLY FEATURED	RC4-1 BASIC	RC4-2 FULLY FEATURED
				
COMPATIBLE WITH:	PA-115 and PA-110	PA-115 and PA-110	BABY440, PA-440, mind440, mind330, mind220, MENU10, MENU5 and MENU3	PA-440, mind440, mind330, mind220, MENU10, MENU5 and MENU3
PROGRAM SELECTION	Choose from up to 3	Choose from up to 5	Choose from up to 3	Choose from up to 5
ON/OFF	▪	▪	▪	▪
FOR MONAURAL OR BINAURAL USE	▪	▪	▪	▪
VOLUME ADJUSTMENT	▪	▪	▪	▪
MUTE	▪	▪	▪	▪
ADJUSTABLE TIME-OUT	▪	▪	▪	▪
ALARM FUNCTION	▪	▪	▪	▪
EVENT-LOG FUNCTION	▪	▪	▪	▪
PROGRAM KEY	▪		▪	
SIMULTANEOUS ADJUSTMENT WITH BINAURAL FITTINGS	▪		▪	
SIMULTANEOUS OR SEPARATE ADJUSTMENT WITH BINAURAL FITTINGS		▪		▪
ZEN+ SMARTTOGGLE*				▪

* In selected hearing aid models only

SCOLA FM COMMUNICATION SYSTEM

SCOLA FLEX-i



- New, easy to use slide-on FM receiver
- Designed exclusively for use with the SUPER VSD model
- Slide on the SUPER VSD hearing aid to get a completely design-integrated hearing system
- The SCOLA FLEX-i FM receiver should be used with a SCOLA TALK or SCOLA TEACH transmitter.

UNIVERSAL DAI ADAPTOR



- Designed exclusively for use with the SUPER VSD model
- Slide on the SUPER VSD for connection of an audio source with a standard three-pin Euro plug

SCOLAFLEX



- Ear-level, multi-channel FM receiver
- Also available in a universal 3-pin solution
- Unique performance with Widex ISP hearing aids
- Wireless channel control from SCOLA TEACH 44/33 and SCOLA CLASSMATE
- Wireless settings / fitting from SCOLA TEACH 44/33 and SCOLA PROGRAMMER

SCOLABUDDY



- Neck-worn, multi-channel FM receiver with telecoil interface
- 3 easily replaceable cover sets for individual colour choice
- 2 versions with standard or short neck loop
- Easy and intuitive 3-button operation with two status LEDs
- Headphone or line audio input connectivity in one jack connection
- Wireless channel control from SCOLA TEACH 44/33 and SCOLA CLASSMATE
- Wireless settings / fitting from SCOLA TEACH 44/33 and SCOLA PROGRAMMER

SCOLATEACH 44/SCOLATEACH 33



- Programmable, multi-channel FM transmitter with lapel microphone, primarily for educational use
- Easy and intuitive user mode
- Wireless channel control of SCOLA receivers
- Team Teaching function with SCOLA TEACH 44
- Menu-driven operation for teachers and parents
- Headset output and interference detection features (Channel Check and Channel Tracer)
- Professional mode for individual settings and wireless fitting of SCOLA receivers
- Flexible easy battery change
 - works both with rechargeable and alkaline batteries
- System simulator available at www.scolasimulator.widex.com

SCOLATALK



- Versatile FM microphone for personal and educational use
- Multi-channel capability
- Superb microphone directionality
- Flexible on-the-fly battery change
 - works both with rechargeable and alkaline batteries
- Jack connection for both audio input and microphone input

SCOLAPROGRAMMER



- Programming tool for SCOLA FLEX/FLEX-i, SCOLA BUDDY and SCOLA CLASSMATE for professionals
- Easy change to factory settings for all country configurations
- Easy fitting and change of individual settings

SCOLAClassmate



- Classroom synchroniser with battery backup for no-break operation
- Automatically sets SCOLA FLEX/FLEX-i and SCOLA BUDDY to the channel used in the classroom
- No teacher intervention required in the student's channel setting



By choosing Widex hearing aids, you are choosing products from a company that has been WindMade certified. WindMade is the first global consumer label identifying companies that use wind power.

Widex, DREAM, SUPER, CLEAR, mind, Flash, MENU, REAL, BABY, DEX and SCOLA are trademarks of Widex A/S.



Widex A/S, Nymoellevej 6, DK-3540 Lyngø

Printed by KLS/2012-11
9 502 3259 001 #01

WWW.WIDEX.COM

WIDEX[®]
HIGH DEFINITION HEARING